

ABSTRACT

A crystalline mixture solid composition comprising α -D-glucopyranosyl-1,1-mannitol (GPM),

- 5 α -D-glucopyranosyl-1,6-sorbitol (GPS-6) and a small amount of α -D-glucopyranosyl-1,1-sorbitol (GPS-1) and a production process therefor. [

]The above crystalline mixture solid composition is produced by mixing a hydrophilic solvent with a solid

- 10 composition or aqueous solution comprising 50 to 80 wt% of GPM, 1 to 50 wt% of GPS-6 and 0.01 to 20 wt% of GPS-1, separating solid matter from a liquid, and removing water and the solvent from the solid matter and can be obtained as a thin scale crystal.

15

10030981.011602

9/17/03